



**Scorpio Automation<sup>TM</sup>**

[www.scorpioautomation.in](http://www.scorpioautomation.in)

## TURNSTILES



**Reliable. Stable. Economical**

- ▶ Access control integration
- ▶ Time and attendance management
- ▶ Ticket and consumption management applications
- ▶ Special channel management- Factories, Enterprises, & Public Institutions

# Semi Automatic Tripod Turnstiles:

## Model: SMYL121

## Specification

## Features & Benefits



- 1.Size: 480x280x980mm;
- 2.Unlock time: 0.2s ;
- 3.Pass rate: 35 person /min;
- 4.Pass width:≤550mm;
- 5.Input :100V~240V;
- 6.Driving voltage: 24v;
- 7.Environment: -25~+70;
- 8.Power consumption:30w;
- 9.Input: 12v dry contact;

1. 304 stainless steel;
2. Steel cut by laser;
3. The least welding portion polished properly;
4. Original finish kept;
5. Automatic arm drop;
6. Net weight: 44kg;

## Model: SMY101

## Specification

## Features & Benefits



- 1.Size: 1200x280x980mm;
- 2.Unlock time: 0.2s ;
- 3.Pass rate: 35 person /min;
- 4.Pass width:≤550mm;
- 5.Input : 100V~240V;
- 6.Driving voltage: 24v;
- 7.Environment: -25~+70;
- 8.Power consumption:30w;
- 9.Input: 12v dry contact;

1. 304 stainless steel;
2. Steel cut by laser;
3. The least welding portion polished properly;
4. Original finish kept;
5. Automatic arm drop;
6. Net weight: 52kg;

## Model: SMY148

## Specification

## Features & Benefits



- 1.Size: 1200x280x980mm;
- 2.Unlock time: 0.2s ;
- 3.Pass rate: 35 person /min;
- 4.Pass width:≤550mm;
- 5.Input : 100V~240V;
- 6.Driving voltage: 24v;
- 7.Environment: -25~+70;
- 8.Power consumption:30w;
- 9.Input: 12v dry contact;

1. 304 stainless steel;
2. Steel cut by laser;
3. The least welding portion polished properly;
4. Original finish kept;
5. Automatic arm drop;
6. Net weight: 52kg;

**Model: SMHL145HL****Specification****Features & Benefits**

- 1.Size: 480x280x980mm;
- 2.Unlock time: 0.2s ;
- 3.Pass rate: 35 person /min;
- 4.Pass width:≤550mm;
- 5.Input :100V~240V;
- 6.Driving voltage: 24v;
- 7.Environment: -25~+70;
- 8.Power consumption:30w;
- 9.Input: 12v dry contact;

1. 304 stainless steel;
2. Steel cut by laser;
3. The least welding portion polished properly;
4. Original finish kept;
5. Automatic arm drop;
6. Net weight: 47kg;

**Model: SMHC108HL****Specification****Features & Benefits**

- 1.Size:1400x280x980mm;
- 2.Unlock time: 0.2s ;
- 3.Pass rate: 35 person /min;
- 4.Pass width:≤550mm;
- 5.Input :100V~240V;
- 6.Driving voltage: 24v;
- 7.Environment: -25~+70;
- 8.Power consumption:30w;
- 9.Input: 12v dry contact;

1. 304 stainless steel;
2. Steel cut by laser;
3. The least welding portion polished properly;
4. Original finish kept;
5. Automatic arm drop;
6. Net weight: 75kg;

**Model: SMHC149HL****Specification****Features & Benefits**

- 1.Size: 1400x280x980mm;
- 2.Unlock time: 0.2s ;
- 3.Pass rate: 35 person /min;
- 4.Pass width:≤550mm;
- 5.Input :100V~240V;
- 6.Driving voltage: 24v;
- 7.Environment: -25~+70;
- 8.Power consumption:30w;
- 9.Input: 12v dry contact;

1. 304 stainless steel;
2. Steel cut by laser;
3. The least welding portion polished properly;
4. Original finish kept;
5. Automatic arm drop;
6. Net weight: 75kg;